

FOR OFFICIAL USE ONLY
DECK LOG-TITLE PAGE
NAVPERS 3100/1 (1-66) (Formerly NAVPERS 716)

S/N-0105-404-1550



DECK LOG BOOK

OF THE

U.S.S. WADDELL DDG 2404691

IDENTIFICATION NUMBER

Attached to { THIRTY-TWO Division,
THREE Squadron,
ELEVEN Flotilla,
U.S. PACIFIC SEVENTH Fleet,
NONE Naval District,

Commencing -8 (H) 0001 01 JUNE, 19 ⁷⁰,
(zone time and date)

at YANKEE STATION OFF NORTH VIET NAM IN THE GULF OF TONKIN,
(location)

and ending -9 (I) 2400 30 JUNE, 19 ⁷⁰,
(zone time and date)

at TRANSITING FROM PARPRO STATION SEA OF JAPAN TO SASEBO, JAPAN
(location)

Approved by: P. K. Cullins Commanding

P. K. CULLINS, CDR., USN

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

DECK LOG BOOK

U.S. DEPARTMENT OF THE ARMY

1918

1918

1918

1918

1918

1918

1918

1918

1918

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG 24 ZONE DESCRIPTION -8 H DATE MONDAY 1 JUNE 19 70
(Day) (Date) (Month)

AT/PASSAGE FROM YANKEE STATION? TO

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

~~00-04~~ UNDERWAY IN ACCORDANCE WITH COMSEVENTH FLEET QUARTERLY EMPLOYMENT SCHEDULE. STEAMING IN THE GULF OF TONKIN AT YANKEE STATION IN COMPANY WITH USS CORAL SEA (CVA 43) AND USS BRINKLEY BASS (AN 887). STEAMING IN A THREE SHIP COLUMN WITH CORAL SEA AS THE GUIDE, BRINKLEY BASS IN STATION 25NX AND THIS SHIP IN STATION 35NX; BASE COURSE 160°, BASE SPEED 19 KNOTS. SOPA AND OTC IS COMCARNAV 3 EMBARKED CORAL SEA; SCREEN COMMANDER IS COMMANDING OFFICER THIS SHIP. ENGINEERING PLANT IS SPLIT WITH 1A AND 2A BOILERS AND ALL FOUR SHIP'S SERVICE GENERATORS ON THE LINE. MATERIAL CONDITION YOKE AND CONDITION OF READINESS ~~IS~~ ARE SET THROUGHOUT THE SHIP. THE SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATION LIGHTS. 0723 C/AC 335° C/BS 17 KNOTS. 0710 C/AC 155° C/BS 25 KNOTS. 0727 C/BC 120° 0747 C/BC 350° C/BS 20 KNOTS. 0724 C/AC 150° C/BS 20 KNOTS. 0758 C/AC 120° C/BS 17 KNOTS. 0816 C/AC 350° C/BS 20 KNOTS. 0825 C/AC 290° C/BS 17 KNOTS.

J.B. Egge
J.B. EGGE LTJG USNR.

04-08 UNDERWAY AS BEFORE. 0406 C/AC 155° C/BS 25 KTS. 0424 C/AC 185° 0432 C/AC 200° 0435 C/BS 23 KTS. 0453 C/AC 080° 0514 C/BS 17 KTS. 0535 C/AC 165° 0543 C/BS 25 KTS. 0559 C/AC 180° C/BS 18 KTS. 0630 C/AC 080° C/BS 15 KTS. 0710 C/AC 165° C/BS 29

D. Zimmer
D. ZIMMER LTJG USNR

08-12 UNDERWAY AS BEFORE. 0716 C/BC 165° 0742 C/BC 195° C/BS 25 KTS. 0756 C/BC 205° 0803 C/AC 060° 0827 C/BS 10 KTS. SET THE HELO DETAIL. 0829 HELO OVER FANTAIL. 0833 HELO CLEAR OF SHIP. 0903 ASSUMED STATION 25NX 1500 YDS ASTERN OF THE GUIDE, USS CORAL SEA (CVA 43) ON BASE COURSE 200°, BASE SPEED 17 KTS. 0928 C/AC 080° 1031 C/AC 180° BASE SPEED 23 KTS. 1112 C/BS 17 KTS. C/BC 210° SET THE HELO DETAIL 1123 C/AC 225° HELO OVER FANTAIL 1127 HELO CLEAR OF FANTAIL. C/AC 090° 1131 C/BC 080° 1149 C/AC 350° SET THE HELO DETAIL.

W.H. Schriever
W.H. SCHRIEVER, LTJG, USN

12-16 UNDERWAY AS BEFORE. 1149 SET THE HELO DETAIL - C/AC 250° 1153 HELO MAKING APPROACH. 1155 HELO CLEAR C/AC 080° C/BS 25 KTS. MANEUVERING AT VARIOUS COURSES AT 25 KTS TO RETURN TO STATION 1500 YDS ASTERN OF THE USS CORAL SEA (CVA-43). 1246 ON STATION. BASE COURSE 090°. BASE SPEED 27 KTS. 1300 DETACHED BY CORAL SEA FROM TG 77.5, C/AC 135° C/BS 15 KTS.

R.S. Evans
R.S. EVANS, LTJG, USN

EXAMINED

D. Zimmer

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADSWELL DDG 24

DATE MONDAY 1 JUNE 1970
(Day) (Date) (Month)

REMARKS—CONTINUED

16-18 UNDERWAY AS BEFORE. 1622 C/C 130°

P.B. Hatch

P.B. HATCH, LT JG, USNR

18-20 UNDERWAY AS BEFORE.

R.L. Crown

R.L. CROWN, LT USNR

20-24 UNDERWAY AS BEFORE 2029 C/C 085° 2126 C/C 115° 2139
C/C 120° 2146 C/S 25 KTS MANEUVERING AT VARIOUS COURSES AND
SPEEDS TO GAIN STATION 2 OF A 302 SCREEN. GUIDE IS USS BON HOMME
RICHARD. USS DALE IS IN STATION 1. BASE COURSE IS 085° BASE SPEED IS 23 KTS
SOPA AND OTC IS COMCARDIV ONE EMBARKED ON USS BON HOMME RICHARD

2325 C/BC 250° 2336 C/BC 305° 2344 C/BC 309°

T.F. Warner
T.F. WARNER, LTJG, USNR

EXAMINED:

R. Zimmerman

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -8H DATE TUESDAY 2 JUNE 19 70
(Day) (Date) (Month)

AT/PASSAGE FROM YANKEE STATION TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

04-04 UNDERWAY IN ACCORDANCE WITH COMSEVENTH FLEET QUARTERLY EMPLOYMENT SCHEDULE. STEAMING IN THE GULF OF TONKIN AT YANKEE STATION IN COMPANY WITH THE USS BONHOMME RICHARD (CVA 31) AND THE USS DALE (DLG 19). STEAMING IN A 3CZ FORMATION BEARING 076°T, 3700 YDS FROM THE GUIDE AND BEARING 035°T, 6000 YDS FROM THE USS DALE. THIS SHIP IS IN STATION 2, FORMATION COURSE IS 309°T AND BASE SPEED IS 23 KTS. ENGINEERING PLANT IS SPLIT WITH 1A + 2A BOILERS ON THE LINE AND ALL FOUR SHIPS SERVICE GENERATORS ON THE LINE. THE SHIP IS AT CONDITION OF READINESS IV WITH MATERIAL CONDITION YOKE SET THROUGHOUT THE SHIP. THE SHIP IS COMPLETELY DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATION LIGHTS. OTC AND SOPA IS CO OF THE USS BONHOMME RICHARD (CVA 31). 0130 C/BS 20 KTS. 0157 C/BS 23 KTS. 0240 C/BS 350° 0252 C/BS 309°.

W. H. Schriever

W. H. SCHRIEVER, LTJG, USN

04-08 UNDERWAY AS BEFORE 0504 C/BASE SPEED 15 KTS 0613 RELEASED TO GO 156 C/BS 270° 0622 C/BS 160° 0650 0140°

R. M. Howell
R. M. HOWELL LTJG USNR

08-12 UNDERWAY AS BEFORE. MANEUVERING SO AS TO STAY WITHIN VISUAL SIGNALING RANGE OF USS BONHOMME RICHARD (CVA 31) WHILE THAT SHIP CONDUCTS FLIGHT OPS. 0753 C/BS 180°. 0845 C/BS 090°. 0913 C/BS 180°. 0937 C/BS 190°. 0955 C/BS 020°. 1042 C/BS 210°. 1118 C/BS 215°. 1131 C/BS 035°.

C. Pautzke

C. P. PAUTZKE LTJG USNR

12-16 UNDERWAY AS BEFORE. MANEUVERING SO AS TO STAY WITHIN VISUAL COMMUNICATIONS RANGE OF USS BONHOMME RICHARD (CVA-31) WHILE THAT SHIP CONDUCTS FLIGHT OPS. 1200 C/BS 15 KTS

D. Zimmer
D. ZIMMER LTJG USNR

EXAMINED

D. Zimmer

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDEN DDG 24

DATE JUN 2 JUNE 19 70
(Day) (Date) (Month)

REMARKS—CONTINUED

16-18 UNDERWAY AS BEFORE. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO REMAIN WITHIN VISUAL RANGE OF THE USS BON HOMME RICHARD WHILE SHE CONDUCTS FLIGHT OPERATIONS. 1726 HELG IS MAKING APPROACH B/C 170°T B1513KTS. 1735 1/2L6 BREAKAWAY.

T. F. Warner
T. F. WARNER, LTJG, USN/P

18-20 UNDERWAY AS BEFORE. 1813 ASSUMED STATION B2, 4000 yds ASTERN OF THE USS BON HOMME RICHARD. BASE COURSE 155°T, BASE SPEED 12 KTS. 1932 SET THE SPECIAL SEA AND REFUELING DETAIL. REFUELING FROM THE USS SACRAMENTO (AOE-1) BASE COURSE 155°T, SPEED 12 KTS.

J. B. Zell
J. B. ZELL, LTJG, USN/R

20-24 UNDERWAY AS BEFORE. 2021 ALONGSIDE USS SACRAMENTO (AOE-1) 2108 COMPLETED FUELING, 2111 COMMENCING BREAKAWAY. C/C 085 C/S 24 KTS. 2223 C/K 095°. 2305 C/C 080°. 2316 C/C 085°.

R. S. Evans
R. S. EVANS, LTJG, USN

EXAMINED:

R. S. Evans

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS Waddell DDG-24 ZONE DESCRIPTION -8 H DATE Wednesday 3 June 19 70
(Day) (Date) (Month)

AT/PASSAGE FROM Yankee station TO Buckner Bay, Okinawa

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 Underway in accordance with COMSEVENTHFLT Quarterly employment schedule. Transiting from Yankee station in the Gulf of Tonkin to Buckner Bay, Okinawa independently. The engineering plant is split with No. 1A & 2A Boilers and Nos 1A, 1B, 2A & 2B ships service Turbo-generators on the line. The ship is at condition of readiness IV with condition yoke set throughout the ship. The ship is completely darkened with the exception of bright navigation lights. OTC and SOPA is commanding officer this vessel. 00 course 085° speed 24 knots. 0148 C/C 103°T. 0207 C/C 070°T. 0210 C/C 065°T. 0213 N/BC 053°T.

P.B. Hatch
P.B. HATCH, LTJG, USNR

04-08 UNDERWAY AS BEFORE. 0455 C/C 028.

P. H. Crowell
P. H. CROWELL LT USNR

08-12 UNDERWAY AS BEFORE. 0811 C/C 059° 0923 C/C 000° 0925 C/C 025° 0927 C/C 059°

W.C. Green
W.C. GREEN, LTJG, USNR

12-16 UNDERWAY AS BEFORE. 1302 C/C 069° 1308 C/C 059° 1503 C/C 080° 1508 C/C 059°

L.K. Athow
L.K. ATHOW, ENS, USN

16-18 UNDERWAY AS BEFORE

J.P. Moran
J.P. MORAN LTJG USNR

18-20 UNDERWAY AS BEFORE

J.B. Bickell
J.B. BICKELL, LTJG, USNR

EXAMINED

R. Zimmer

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FSN 0105-904-1020

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET


S/N-0105-404-1560

USS WADDELL DDG-24


DATE WED 3 JUNE, 1970
(Day) (Date) (Month)

REMARKS—CONTINUED

20-24 UNDERWAY AS BEFORE 2220 $\frac{9}{16}$ 052° NEW BASE COURSE


R. M. HOWELL LTJG USNR

EXAMINED:



U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS Waddell (DDG-24) ZONE DESCRIPTION -8 H DATE Thursday 4 June 19 70
 (Day) (Date) (Month)
 AT/PASSAGE FROM Yankee station TO Buckner Bay, Okinawa

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
 2-ELECTRONIC
 3-VISUAL
 4-D. R.

REMARKS

08-04 Underway in accordance with COMSEVENTHFLT Quarterly Employment schedule. Operating independantly proceeding from Yankee station in the Gulf of Tonkin to Buckner Bay, Okinawa, Course 052, Speed 19 Knots. Boilers No 1A & 2A and Nos 1A, 1B, 2A & 2B are on the line with the plant split. Material condition yoke and Condition of Readiness IV are set. The ship is darkened except for normal navigation lights. Proceeding through Taiwan Straights occasionally maneuvering to avoid small numerous fishing boats.

C. Pautzke

C. PAUTZKE LTJG USNR

04-08 UNDERWAY AS BEFORE 0407 c/c 045.

W. Schriever

W. H. SCHRIEVER, LTJG, USN

08-12 UNDERWAY AS BEFORE. 0825 RECEIVED DAILY MUSTER REPORT. ALL MEN PRESENT OR ACCOUNTED FOR. 0854 C/C 020° 0923 C/C 025° 0928 C/C 030° 0937 C/C 052°

L. K. Athow

L. K. ATHOW, LTJG, USN

12-16 UNDERWAY AS BEFORE. 1159 c/c 030 c/s 18KTS. 1210 Boiler 2A IN THE AUXILIARY LINE. 1316 Boilers 1A & 2A ARE ON THE LINE. 1341 c/c 020° TO AVOID FISHING BOAT. 1344 c/c 030. 1523 HELD LOAD TEST ON STEERING GEAR. 1527 Shifted to STBD UNIT STEER CABLE. 1528 AFTER STEERING REPORTED AN UNDETERMINED PROBLEM IN THE PORT STEERING MOTOR. 1531 c/c 090° 1535 AFTER STEERING REPORTED AN UNUSUAL NOISE IN THE PORT MOTOR AND REQUESTED THAT IT BE USED FOR EMERGENCIES ONLY UNTIL ARRIVAL YOKOSUKA.

J. D. Miron

J. D. MIRON LTJG USNR

16-18 UNDERWAY AS BEFORE. 1623 c/s 17 KNOTS. 1740 c/c 100° TO AVOID FISHING BOAT. 1944 c/c 090°

W. C. Green

W. C. GREEN LTJG USNR

18-20 UNDERWAY AS BEFORE

R. M. Howell
 R. M. HOWELL LTJG USNR

EXAMINED

R. M. Howell

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FSN 0105-904-1020

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24)

DATE Thursday 5 JUNE 1978
(Day) (Date) (Month)

REMARKS—CONTINUED

20-24: UNDERWAY AS BEFORE.

C. Tautke

C G PAUTZKE LTJG-USNR

EXAMINED:

[Signature]

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -8H DATE FRIDAY 5 JUNE 19 74
 (Day) (Date) (Month)
 AT/PASSAGE FROM YANKEE STATION TO BUCKNER BAY, OKINAWA

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
 2-ELECTRONIC
 3-VISUAL
 4-D. R.

REMARKS

~~04-04~~ UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE STEAMING INDEPENDENTLY AS A UNIT OF CTG 70.8 IN TRANSIT FROM YANKEE STATION TO BUCKNER BAY, OKINAWA. THE COMMANDING OFFICER OF THIS SHIP IS SOPA AND OTC. THE SHIP IS ON COURSE ~~090~~°T AT 17 KNOTS. MATERIAL CONDITION YOKE AND CONDITION OF READINESS IV ARE SET THROUGHOUT THE SHIP. THE SHIP IS COMPLETELY DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATION LIGHTS WHICH WILL BE EXTINGUISHED AT SUNRISE. A SENSE OF EXCITEMENT PERVADES THE SHIP AS WE APPROACH THE LIBERTY PORT OF KOBE, JAPAN CLOSER AND CLOSER WITHOUT RECEIVING A SKED CHANGE THAT KEEPS US AT SEA. 1A AND 2B BOILERS ARE ON THE MAIN PLANT SPLIT. 1A, 1B, 2A, AND 2B GENERATORS ARE ON LINE WITH THE ELECTRICAL LOAD SPLIT. ~~0100~~ ADVANCED ALL CLOCKS ONE HOUR (TO ~~0200~~) TO CONFORM TO -9 INDIA TIME ZONE.

WTSchriever

W.H. SCHRIEVER


LTJG USN

~~04-08~~ UNDERWAY AS BEFORE.




R.S. EVANS, LTJG, USN

08-12 UNDERWAY AS BEFORE. ~~0820~~ C/C 105° to AVOID A CONTACT. ~~0830~~ C/C ~~090~~° to RETURN TO BASE COURSE. ~~0838~~ ~~0855~~ A/E STOP. LAID TO IN ORDER TO WORK ON SIDES. 1024 A/E Full, C/S 20 KTS. C/C ~~092~~°.




J.D. McLEAN LTJG USN

12-16 UNDERWAY AS BEFORE. 1242 COMMENCED SOUNDING FOG SIGNALS DUE TO LOW VISABILITY CAUSED BY HEAVY RAIN. POSTED FOG LOOKOUT. 1308 VISABILITY IMPROVED. SECURED FOG SIGNALS & LOOKOUT. 1404 C/C ~~090~~°. 1413 COMMENCED FOG SIGNALS AND SET FOG LOOKOUT DUE TO REDUCED VISABILITY. 1425 SECURED FOG SIGNALS.



W.C. GREEN LTJG USNR

EXAMINED



U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WANDERL AKG 24

DATE FRIDAY 5 JUNE 1970
(Day) (Date) (Month)

REMARKS—CONTINUED

16-18 UNDERWAY AS BEFORE. 1553 C/C $\phi 45^{\circ}$. 1607 C/3 15 KNOTS. 1646 C/C $\phi 00^{\circ}$. 1653 C/C $\phi 11^{\circ}$. 1710 C/C 270° : SET SPECIAL SEA AND ANCHOR DETAIL: COMMENCED MANEUVERING AT VARIOUS COURSES AND SPEEDS TO CONFORM TO NAVIGATIONAL TRACK WHILE ENTERING BUCKNER BAY, OKINAWA. 1734 PASSED TSU LIGHT ON THE STARBOARD BEAM AT 2000 YARDS. 1735 PASSED TARIASONE LIGHT ON THE PORT BEAM AT 1500 YARDS. 1744 COMMENCED FINAL APPROACH ON THE PIER. 1758 MOORED STARBOARD SIDE TO NEW NAVY PIER, BUCKNER BAY OKINAWA WITH SIX STANDARD DESTROYER LINES DOUBLED UP. 1807 SECURED SPECIAL SEA AND ANCHOR DETAIL

L. K. Athow
L. K. ATHOW LTJG, USN

18-20 MOORED AS BEFORE.

W. H. Schriever
W. H. SCHRIEVER, LTJG, USN

20-24 MOORED AS BEFORE.

W. H. Schriever
W. H. SCHRIEVER, LTJG, USN

EXAMINED:

R. Zimmer

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -817 DATE SATURDAY 6 JUNE 1970
(Day) (Date) (Month)

AT/PASSAGE FROM BUCKNER BAY, OKINAWA TO KOBE, JAPAN

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

08-04 MOORED STBD SIDE TO NAVY FUELING PIER, BUCKNER BAY, OKINAWA. SCPA IS C.O. WADDELL. ALL SIX STD MOORING LINES ARE DOUBLED. CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE ARE SET THROUGHOUT THE SHIP. 1A AND 2B BOILERS AND ALL FOUR GENERATORS ARE ON LINE.

W. H. Schriever

W. H. SCHRIEVER, LTJG, USN

04-08 MOORED AS BEFORE.

W. H. Schriever

W. H. SCHRIEVER, LTJG, USN

08-12 MOORED AS BEFORE. 0850 SET THE SPECIAL SEA AND ANCHOR DETAIL. 0912 UNDERWAY FROM BUCKNER BAY OKINAWA ENROUTE TO KOBE JAPAN; MANEUVERING AT VARIOUS COURSES AND SPEEDS TO CONFORM TO NAVIGATOR'S TRACK WHILE LEAVING PORT. 0933 PASSED TSU LIGHT ABEAM TO PORT; RANGE 1500 YARDS. 0945 PASSED BULLY "BB" ABEAM TO PORT ^{UNL} STBD AT 300 YARDS; SECURED THE SPECIAL SEA AND ANCHOR DETAIL. 0952 C/C 080° @ 15 KNOTS. 1059 C/C 095° TO AVOID CONTACT. 1103 @ 20 KNOTS. 1105 C/C 080° @ 15 KNOTS.

W. C. Green

W. C. GREEN LTJG, USNR

12-16 UNDERWAY AS BEFORE. 1214 C/C 045° 1242 C/C 190°. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO REMAIN IN DP AREA. 1258 COMMENCED Z-30-GM MISSILE FIRING PLAN. 1504 FIRED MISSILE TO STBD 1530 COMMENCED Z-6-AA GUN SHOOT

L. K. Athow

L. K. ATHOW, LTJG, USN

16-18 UNDERWAY AS BEFORE. 1555 C/C 020°T. 1557 C/C 060°T 1601 C/C 270°T. 1605 C/C 000°T. 1606 C/C 350°T. 1618 C/C 090°T. 1622 SECURED FROM GUNNERY EXERCISE, 20 ROUNDS OF HC EXPENDED. 1623 C/C 036°T. 1629 C/C 035°T

J. B. Ezzell

J. B. EZZELL, LTJG, USNR

18-20 UNDERWAY AS BEFORE.

W. H. Schriever

W. H. SCHRIEVER, LTJG, USN

EXAMINED

[Signature]

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET


S/N-0105-404-1560

USS WADDELL DDG-24

DATE SAT 6 JUNE 1970
(Day) (Date) (Month)


REMARKS—CONTINUED

20-24 UNDERWAY AS BEFORE. 2130 ϕ ϕ 50°. 2148 ϕ ϕ 35°.



R.S. EVANS, LTJG, USN

EXAMINED:



U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -9I DATE SUNDAY 7 JUNE 19 70
(Day) (Date) (Month)
AT/PASSAGE FROM BUCKNER BAY, OKINAWA TO KOBE, JAPAN

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL 2-ELECTRONIC 3-VISUAL 4-D. R.
--

REMARKS

00-04 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE ENROUTE FROM BUCKNER BAY, OKINAWA TO KOBE JAPAN. OTC AND ~~OFF~~ ^{ISAKI} SORA ARE COMMANDING OFFICER THIS SHIP. BASE COURSE 035°(T). BASE SPEED 17 KNOTS. ENGINEERING STATUS IS 1B AND 2B BOILERS AND 1A, 1B, 2A, AND 2B SHIP'S SERVICE GENERATORS ON THE LINE. SHIP IS DARKENED EXCEPT FOR NORMAL NAVIGATIONAL LIGHTS. CONDITION OF READINESS IV AND MATERIAL CONDITION YIKE ARE SET.

P.B. Hatch

P.B. HATCH, LTJG, USNR

04-08 UNDERWAY AS BEFORE. B/C 035°T B/S 17 KTS 0606 C/C 085°T 0615 C/C 035°T.

T.F. Warner

T.F. WARNER, LTJG, USNR

08-12 UNDERWAY AS BEFORE 0800 C/C 037° C/S 15 KTS PLACED AN/SPS 10 AND AN/SPS 39 RADARS IN STANDBY WHILE MEN WORKING ALOFT.

L.K. Athow

L.K. ATHOW, LTJG, USN

12-16 UNDERWAY AS BEFORE. 1255 FZ ALARM REENERGIZED. SENTRY SECURED. 1345 JAPANESE DD 112 SIGHTED OFF PORT BOW. 1357 COMMENCED BLOWING TUBES. 1419 SECURED BLOWING TUBES.

J.D. Moran

J.D. MORAN LTJG USNR

16-18 UNDERWAY AS BEFORE.

W.C. Green

W.C. GREEN, LTJG USNR

EXAMINED

W.C. Green

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24)DATE SUNDAY 7 JUNE 1970
(Day) (Date) (Month)

REMARKS—CONTINUED

18-20 UNDERWAY AS BEFORE 1820 C/C 020°T TO AVOID CONTACT
1831 C/C 037°T 1848 MANEUVERING TO AVOID FISHING NET 1850
RESUMED BASE COURSE

R. S. Evans

R. S. EVANS, LTJG, USN

20-24 UNDERWAY AS BEFORE 1959 C/S 13 KTS 2113
SIGHTED MUROTO ZAKI LIGHT 002°T, 25 MILES

P. B. Hatch

P. B. HATCH, LTJG, USNR

EXAMINED:

R. Zimmer

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9I DATE Monday 8 June, 19 70
(Day) (Date) (Month)

AT/PASSAGE FROM BUCKNER BAY, OKINAWA TO KOBE, JAPAN

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ΦΦ-Φ4 UNDERWAY IN ACCORDANCE WITH SEVENTH FLEET'S QUARTERLY EMPLOYMENT SCHEDULE. STEAMING INDEPENDENTLY FROM BUCKNER BAY, OKINAWA TO KOBE, JAPAN. 1B AND 2B BOILERS WITH ALL FOUR SHIPS SERVICE GENERATORS ARE ON THE LINE. THE ENGINEERING PLANT AND ELECTRICAL LOAD IS SPLIT. SOPA AND OTC IS C.O. USS WADDELL (DDG-24). CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE ARE SET. THE SHIP IS DARKENED WITH THE EXCEPTION OF NORMAL NAVIGATION LIGHTS. B/O Φ370T B/S 13 KTS. ΦΦ37 C/L 055° ΦΦ56 C/L 005° ΦΦ59 C/S 11 KTS Φ234 C/L 030° C/S 5 KTS Φ237 C/L ΦΦ4 C/S 11 KTS Φ3Φ9 C/L ΦΦΦ Φ342 C/S 10 KTS Φ352 C/L 005

[Signature]
TF WARNOR, LTSG, USNR.

Φ4-Φ8 - UNDERWAY AS BEFORE. Φ416 C/L 358°T. PASSED MIYASAKINO HANA LIGHT ABEAM TO STBD AT 5.7 MILES. Φ436 C/S 9 KTS. Φ457 C/S 8 KTS. Φ5Φ2 SET THE ANCHOR AND NAVIGATIONAL DETAILS. Φ515 C/L ΦΦ7°T. Φ536 C/S 10 KTS. PASSED OISZIKI LIGHT ABEAM TO STBD AT 2ΦΦΦ YARDS. Φ543 C/L Φ3Φ°T. 0554 C/L Φ41°T. PASSED MIDCHANNEL BOUY ABEAM TO PORT AT 500 YDS. Φ625 VISIBILITY REDUCED TO 15ΦΦ YDS. SET THE FOG LOOKOUT. Φ632 C/L 038°T. 0645 MUSTERED THE CREW ON STATION. ABSENTEES: NONE. Φ659 C/S 10 KTS. C/L 340°T. Φ7ΦΦ SET THE SPECIAL SEA DETAIL. Φ711 C/L 345°T. LCDR BEALL ASSUMED THE DECK AND CONN. CAPTAIN AND NAVIGATOR ON THE BRIDGE. Φ727 C/S ALL STOP. Φ73Φ INDICATED MANEUVERING TURNS. Φ742 RECEIVED PILOT, MR. T KERIYAMA ABOARD. Φ744 COMMENCED MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO ENTER KOBE HARBOR. Φ805 ENTERED INNER KOBE BREAKWATER. Φ8Φ9 CAPTAIN ASSUMED THE CONN. Φ819 MOORED STBD SIDE TO PIER 6, BERTH X-RAY WITH STANDARD DESTROYER MOORING LINES DOUBLED. SOPA & OTC IS COMBESDIV 192 EMBARKED USS BERKLEY DDG-15. Φ835 SECURED THE SPECIAL SEA & ANCHOR DETAIL.

[Signature]
R.L. CROWELL LT USNR.

EXAMINED

[Signature] U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24

DATE MONDAY 8 JUNE 1970
(Day) (Date) (Month)

REMARKS-CONTINUED

08-12 MOORED AS BEFORE. RECEIVING FRESH WATER FROM
PIER.

W. H. Schriever
W. H. SCHRIEVER, LTJG USN

12-16 MOORED AS BEFORE.

W. H. Schriever
W. H. SCHRIEVER, LTJG USN

16-²⁰18 MOORED AS BEFORE.

W. H. Schriever
W. H. SCHRIEVER, LTJG, USN

20-24 MOORED AS BEFORE.

W. H. Schriever
W. H. SCHRIEVER, LTJG, USN

EXAMINED:

W. H. Schriever

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9I DATE TUESDAY 9 JUNE 19 70
(Day) (Date) (Month)

AT/PASSAGE FROM KOBE, JAPAN TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 MOORED STBD SIDE TO BERTH XRAY AT PIER SIX, KOBE, JAPAN WITH SIX STANDARD MOORING LINES, ALL DOUBLED. SOPA IS COMDESDIV 132 EMBARKED IN USS BERKELEY (DDG-15). CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE ARE SET. RECEIVING FRESH WATER AND PHONE SERVICES FROM THE PIER. OTHER SHIPS PRESENT INCLUDE MERCHANTS OF THE WORLD AND VARIOUS YARD CRAFT.

W. H. Schriever
W. H. SCHRIEVER, LTJG, USN

04-08 MOORED AS BEFORE. 0730 MUSTERED THE CREW ON STATION, NO ABSENTEES.

W. H. Schriever
W. H. SCHRIEVER, LTJG, USN

08-12 MOORED AS BEFORE

R. M. Howell
R. M. HOWELL LTJG USNR

12-16 MOORED AS BEFORE

R. M. Howell
R. M. HOWELL LTJG USNR

16-20 MOORED AS BEFORE

R. M. Howell
R. M. HOWELL LTJG USNR

20-24 MOORED AS BEFORE

R. M. Howell
R. M. HOWELL LTJG USNR

EXAMINED

R. M. Howell

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS _____

DATE _____ 19____
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED:

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9I DATE WEDNESDAY 10 JUNE 1970
(Day) (Date) (Month)
AT/PASSAGE FROM KOBE JAPAN TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND:	1-CELESTIAL
	2-ELECTRONIC
	3-VISUAL
	4-D. R.

REMARKS

00-04 MOORED STARBOARD SIDE TO BERTH XRAY, PIER #6 AT KOBE, JAPAN WITH 6 STANDARD MOORING LINES DOUBLED. SOPA IS COMMANDING OFFICER THIS SHIP. 2B BOILER AND 2A AND 2B 35 GENERATORS ARE ON THE LINE SHIP IS RECEIVING FRESH WATER AND TELEPHONE SERVICES FROM THE PIER. CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE ARE SET

R.M. Howell
R.M. HOWELL LTJG USNR

04-08 MOORED AS BEFORE

R.M. Howell
R.M. HOWELL LTJG USNR

08-12 MOORED AS BEFORE. 1001 USS RAZORBACK UNDERWAY.

J.D. Moran
J.D. MORAN LTJG USNR

12-16 MOORED AS BEFORE.

J.D. Moran
J.D. MORAN LTJG USNR

16-20 MOORED AS BEFORE

J.D. Moran
J.D. MORAN LTJG USNR

20-24 MOORED AS BEFORE

J.D. Moran
J.D. MORAN LTJG USNR

EXAMINED

R. Zimmerman

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS _____ DATE _____, 19____
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED :

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DAG 24 ZONE DESCRIPTION -9I DATE THURSDAY 11 JUNE 19 70
 (Day) (Date) (Month)
 AT/PASSAGE FROM KOBE JAPAN TO YOKOSUKA JAPAN

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
 2-ELECTRONIC
 3-VISUAL
 4-D. R.

REMARKS

~~00-04~~ MOORED STARBOARD SIDE TO BERTH X-RAY PIER SIX (6) KOBE, JAPAN WITH SIX (6) STANDARD MOORING LINES. SAGA IS COMMANDING OFFICER THIS SHIP. 2B BOILER AND 2A & 2B GENERATORS ARE ON THE LINE. SHIPS PRESENT INCLUDE VARIOUS MERCHANTMEN OF VARIOUS NATIONS. RECEIVING FRESH WATER AND TELEPHONE SERVICES FROM THE PIER.

J.P. Moran
 J.P. Moran LTJG USNR

04-08 MOORED AS BEFORE. 0655 LIT OFF BOILER #1A

J.P. Moran
 J.P. Moran LTJG USNR

08-12 MOORED AS BEFORE. 1020 UNDERWAY FROM KOBE JAPAN BOUND FOR YOKOSUKA JAPAN. A PILOT IS ON BOARD AND THE FOG WATCH IS SET DUE TO LOW VISIBILITY. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO CONFORM TO NAVIGATOR'S TRACK. 1054 PILOT DEPARTED. 1100 LEFT THE BREAKWATER. 1144 COMMENCED SOUNDING FOG SIGNALS. 1154 ALL FOUR SHIP'S SERVICE GENERATORS HAVE BEEN BROUGHT ON THE LINE.

R.L. Crowell
 R.L. Crowell LTJG USNR

12-16 UNDERWAY AS BEFORE. 1253 VISIBILITY IMPROVING; DISCONTINUED SOUNDING FOG SIGNALS. 1259 SECURE THE SPECIAL SEA ANCHOR DETAIL. CONTINUING TO MANEUVER TO CONFORM TO NAVIGATOR'S TRACK, BASE COURSE. 220°, SPEED 22 KNOTS. 1320 C/BC 200°. 1335 C/BC 185°. 1439 C/BC 140°. 1530 C/BC 155°

W.C. Green
 W.C. Green LTJG USNR

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24DATE THURS 11 JUNE 1970
(Day) (Date) (Month)

REMARKS-CONTINUED

16-18 UNDERWAY AS BEFORE. 1550 COMMENCED FOG SIGNALS. SET THE FOG WATCH. VISIBILITY REDUCED TO 500 yds. 1552 C/S 12 KTS 1604 VISIBILITY INCREASED TO 2-3 MILES. SECURED FOG SIGNALS AND FOG WATCH. 1605 C/S 22 KTS 1609 C/S 12 KTS 1610 SET FOG WATCH AND COMMENCED FOG SIGNALS. 1628 SECURED FOG WATCH AND FOG SIGNALS. VISIBILITY 2-3 MILES. C/S 22 KTS. 1638 C/C 130° 1721 C/C 066° 1723 C/S 20 KTS

L.K. Athow

L.K. ATHOW, LTJG, USN

18-20 UNDERWAY AS BEFORE. 1858 C/C 055°T. 1932 C/C 066°T.

J.B. Ezell

J.B. EZELL, LTJG, USNR

20-24 UNDERWAY AS BEFORE.

R.M. Howell

R.M. HOWELL LTJG USNR

EXAMINED:

A. Zimmer

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL ZONE DESCRIPTION - 9I DATE FRIDAY 12 JUNE 19 70
(Day) (Date) (Month)
AT/PASSAGE FROM KOBE, JAPAN TO YOKOSUKA, JAPAN

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

ΦΦ-Φ4: UNDERWAY IN ACCORDANCE WITH CONSEQUENTFLT QUARTERH EMPLOY-
MENT SCHEDULE STEAMING INDEPENDENTLY FROM KOBE TO YOKOSUKA JAPAN. SOPA
IS COMMANDING OFFICER, THIS SHIP. THIS SHIP IS DARKENED WITH THE EXCEPTION
OF NORMAL NAUTICAL LIGHTS. ENGINEERING STATUS: 1A, 2B BOILERS AND
1A, 1B, 2B, 2A SHIPS SERVICE GENERATORS ARE ON THE LINE. STARBOARD STEERING
MOTOR AND CABLE ARE BEING USED. MATERIAL CONDITION YOKE AND COMATION
OF READINESS II ARE SET THROUGHOUT THE SHIP. ALL HANDS ARE TENSED
AS THEY AWAIT THAT CONSEQUENTFLT SKED CHANGE MESSAGE THAT WILL
OBLITERATE A PERFECT ONE-DAY TRANSIT FROM ONE PORT TO THE NEXT.
BASE COURSE Φ66T SPEED 18 KNOTS. Φ243 °/Φ35° Φ321 °/Φ24°

C. Pautzke
CL-PAUTZKE LTJG USNR

Φ4-Φ8 UNDERWAY AS BEFORE. Φ405 °/Φ65° °/S 18 KTS. Φ413 °/Φ40°
Φ423 °/S 20 KTS. Φ524 MANEUVERING AT VARIOUS COURSES AT VARIOUS SPEEDS
WHILE TRANSITING ULM-4 RANGE. Φ618 °/S 10 KTS. Φ621 °/C 125°. Φ623 °/S 15 KTS.
Φ637 °/C Φ90°. Φ646 °/S 20 KTS. Φ649 SET THE SPECIAL SEA AND ANCHOR
DETAIL. MANEUVERING AT VARIOUS COURSES AT VARIOUS SPEEDS TO ENTER YOKOSUKA
JAPAN. Φ720 SET FOG WATCH DETAIL. Φ744 TURNED NAVIGATION LIGHTS ON
BRIGHT.

W. H. Schriever
W. H. SCHRIEVER, LTJG, USN

Φ8-12 UNDERWAY AS BEFORE. Φ754 PASSED BOUY 3A ABEAM TO PORT. Φ759
PASSED BOUY #4 ABEAM TO PORT, 1000YDS. Φ827 BOUY #6 ABEAM TO STARBOARD,
800YDS. Φ829 PASSED BOUY #8 ABEAM TO STBD, 800YDS. Φ842 COMMENCED
APPROACH TO PIER #6, BERTH #7. Φ847 MOORED PORT SIDE TO PIER #6, BERTH #7,
YOKOSUKA, JAPAN WITH SIX (6) STANDARD DESTROYER MOORING LINES DOUBLED.
SOPA IS COMDESRON 3 EMBARKED ON THE USS STERETT (DLG 31). Φ859
SECURE SPECIAL SEA AND ANCHOR DETAIL. SECURED #2B BOILER AND 2A, 2B 3/5
TURBO GENERATORS. STEAMING MODIFIED MAIN WITH 1A BOILER AND 1A, 1B 3/5
TURBO GENERATORS ON THE LINE.

J. B. Ezzell
J. B. EZZELL, LTJG, USNR

12-16 MOORED AS BEFORE.

J. B. Ezzell
J. B. EZZELL, LTJG, USNR

16-20 MOORED AS BEFORE

J. B. Ezzell
J. B. EZZELL, LTJG, USNR

EXAMINED

R. Zimmer

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDILL DDG-24

DATE FRIDAY 13 JUNE 70
(Day) (Date) (Month)

REMARKS—CONTINUED

20-24 MOORED AS BEFORE.

J. B. Ezzell
J. B. EZZELL, LT JG, USNR

EXAMINED:

R. Zimmerman

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG 24 ZONE DESCRIPTION - 9 I DATE SAT 13 JUNE 19 76
(Day) (Date) (Month)

AT/PASSAGE FROM YOKOSUKA, JAPAN TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL 2-ELECTRONIC 3-VISUAL 4-D. R.
--

REMARKS

00-04 MOORED PORT SIDE TO PIER #6, BERTH #7, U.S. NAVAL BASE, YOKOSUKA, JAPAN WITH SIX (6) STANDARD DESTROYER MOORING LINKS DOUBLED. SOPA IS COMDESRON 3 EMBARKED ON THE USS STERRETT (DLG-31). RECEIVING FRESH WATER AND TELEPHONE SERVICES FROM THE PIER. THE ENGINEERING PLANT IS STRAIGHT MODIFIED MAIN WITH 1A BOILER AND 1A, 1B S/S TURBO GENERATORS ON THE LINE. CONDITION OF READINESS IV AND MATERIAL CONDITION YOKO SET THROUGHOUT THE SHIP. OTHER SHIPS PRESENT INCLUDE VARIOUS OTHER SHIPS OF THE U.S. PACIFIC FLEET AND UNITS OF THE JAPANESE NATIONAL DEFENSE FORCES.

J. B. Zell
J. B. ZELL, LTJG, USN

04-08 MOORED AS BEFORE.

J. B. Zell
J. B. ZELL, LTJG, USN

08-12 MOORED AS BEFORE, 0912 USS MAHAN DLG-11 UNDERWAY FROM OWN STARBOARD SIDE

N. A. Quant
N. A. QUANT, LTJG, SC. USN

12-16 MOORED AS BEFORE.

N. A. Quant
N. A. QUANT, LTJG, SC. USN

16-20 MOORED AS BEFORE.

N. A. Quant
N. A. QUANT, LTJG, SC. USN

20-24 MOORED AS BEFORE.

N. A. Quant
N. A. QUANT, LTJG, SC. USN

EXAMINED

A. Zimmer

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS _____ DATE _____, 19____
(Day) (Date) (Month)

REMARKS—CONTINUED

EXAMINED:

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION - 9I DATE SUN 14 JUNE 19 70
(Day) (Date) (Month)

AT/PASSAGE FROM YOKOSUKA, JAPAN TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 Moored Port Side to pier #6, Berth #7, U.S. Naval Base, Yokosuka, Japan with six (6) standard Destroyer mooring lines doubled. SOPA is COMDESRON 3 Embarked USS Stettin (DLG-31). Receiving Fresh water and telephone services from the pier. The engineering plant is steaming modified main with 1A boiler, and 1A, 1B S/S Turbo generators on the line. Condition of Readiness II and material condition Yoke set throughout the ship. Other ships present include various other ships of the U.S. Pacific Fleet and units of the Japanese Maritime National self-defense forces.

N.A. Quandt
N.A. QUANDT, LTJG, SC, USN

04-08. Moored As before.

N.A. Quandt
N.A. QUANDT, LTJG, SC, USN

08-12 MOORED AS BEFORE. 0939 RECEIVED DAILY MUSTER REPORT: NO ABSENTEES.

W.H. Schriever
W.H. SCHRIEVER, LTJG, USN

12-16 MOORED AS BEFORE.

W.H. Schriever
W.H. SCHRIEVER, LTJG, USN

16-20 MOORED AS BEFORE.

W.H. Schriever
W.H. SCHRIEVER, LTJG, USN

20-24 MOORED AS BEFORE.

W.H. Schriever
W.H. SCHRIEVER, LTJG, USN

EXAMINED

[Signature]

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66) (BACK)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS _____ DATE _____, 19____
(Day) (Date) (Month)

REMARKS-CONTINUED

18-12 MOORED AS BEFORE WTS

20-24 MOORED AS BEFORE. WTS

EXAMINED:

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9(I) DATE MONDAY 15 JUNE 19 70
(Day) (Date) (Month)
AT/PASSAGE FROM YOKOSUKA, JAPAN TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 MOORED, STBD SIDE TO PIER SEVEN, SIX STANDARD MOORING LINES DOUBLED, AT U.S. NAVAL FLEET ACTIVITIES, YOKOSUKA, JAPAN. SOPA IS COMDESRON THREE IN USS STERETT (DLG-31). CONDITION OF READINESS IV AND MATERIAL CONDITION VOICE ARE SET. 2A BOILER AND 2A AND 2B GENERATORS ARE ON LINE. RECEIVING FRESH WATER AND PHONE LINES FROM THE PIER.

W. H. Schriever

W. H. SCHRIEVER, LTJG, USN

04-08 MOORED AS BEFORE.

W. H. Schriever

W. H. SCHRIEVER, LTJG, USN

08-12 MOORED AS BEFORE

R. M. Howell

R. M. HOWELL LTJG USNR

12-16 MOORED AS BEFORE

R. M. Howell

R. M. HOWELL LTJG USNR

16-20 MOORED AS BEFORE

R. M. Howell

R. M. HOWELL LTJG USNR

20-24 MOORED AS BEFORE

R. M. Howell

R. M. HOWELL LTJG USNR

EXAMINED

Stimmer

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS _____

DATE _____, 19____
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED:

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADSWORTH (DDG-24) ZONE DESCRIPTION -9 I DATE TUESDAY 16 JUNE 19 70
(Day) (Date) (Month)
AT/PASSAGE FROM YOKOSUKA, JAPAN

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL 2-ELECTRONIC 3-VISUAL 4-D. R.
--

REMARKS

00-04 MOORED PORT SIDE TO BERTH 7 YOKOSUKA NAVAL FLEET ACTIVITIES WITH SIX (6) STANDARD MOORING LINES DOUBLED SOPA IS COMMISSION 3 EMBARKED IN USS STERRET (DLG-31) RECEIVING FRESH WATER AND PHONE SERVICES FROM THE PIER 2A BOILER AND 2A AND 2B S/S GENERATORS ARE ON THE LINE. CONDITION OF READINESS IV AND MATERIAL CONDITION YORE ARE SET

R. M. Howell
R. M. HOWELL LTJG USNR

04-08 MOORED AS BEFORE

R. M. Howell
R. M. HOWELL LTJG USNR

08-12 MOORED AS BEFORE.

R. S. Evans
R. S. EVANS, LTJG, USN

12-16 MOORED AS BEFORE.

R. S. Evans
R. S. EVANS, LTJG, USN

16-20 MOORED AS BEFORE

R. S. Evans
R. S. EVANS, LTJG, USN

20-24 MOORED AS BEFORE.

R. S. Evans
R. S. EVANS, LTJG, USN

EXAMINED

R. S. Evans

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS _____ DATE _____, 19____
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED:

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG 24 ZONE DESCRIPTION -9I DATE WED 17 JUNE 1970
(Day) (Date) (Month)

(A) PASSAGE FROM YOKOSUKA, JAPAN TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

~~04-04~~ MOORED PORTSIDE TO BERTH SEVEN, U.S. NAVAL FLEET ACTIVITIES, YOKOSUKA, JAPAN, WITH STANDARD MOORING LINES DOUBLED. 2B BOILER IS IN AN AUXILIARY STATUS WITH 2A AND 2B GENERATORS ON THE LINE. RECEIVING FRESH WATER FROM THE DIER. SOPA IS COMMISSION THREE EMBARKED USS STERETT (DLG-31).

R.S. Eurns

R.S. EURNS, LTJG, USN

~~04-08~~ MOORED AS BEFORE.

R.S. Evans

R.S. EVANS, LTJG, USN

~~04-12~~ MOORED AS BEFORE.

T.F. Warner

T.F. WARNER, LTJG, USN

12-16 MOORED AS BEFORE

T.F. Warner

T.F. WARNER

16-20 MOORED AS BEFORE

T.F. Warner

T.F. WARNER LTJG USN

20-24 MOORED AS BEFORE

T.F. Warner

T.F. WARNER LTJG USN

EXAMINED

R. Zimmer

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS _____ DATE _____, 19____
(Day) (Date) (Month)

REMARKS—CONTINUED

EXAMINED:

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9I DATE THURS 18 JUNE 70
(Day) (Date) (Month) 19 70
AT/PASSAGE FROM YOKOSUKA, JAPAN TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 MOORED PORTSIDE TO BERTH #7 AT U.S. NAVAL FLEET ACTIVITIES, YOKOSUKA, JAPAN WITH SIX STANDARD DESTROYER MOORING LINES DOUBLED. 2B BOILER IS IN AN AUXILIARY STATUS WITH 2A+2B GENERATORS ON THE LINE. RECEIVING VARIOUS SERVICES FROM THE PIER. MATERIAL CONDITION YOKO AND CONDITION OF READINGS IT IS SET. SOPA IS COMDESRON THREE EMBARKED IN THE USS STERCOAT (DDG-31).

[Signature]
T F WARNER, LTJG, USNR

04-08 MOORE AS BEFORE. 0745 MUSTERED THE CREW ON STATION
ABSENTEES: NONE.

[Signature]
T F WARNER, LTJG, USNR

08-12 MOORED AS BEFORE

[Signature]
J B BAZELL, LTJG, USNR

12-16 MOORED AS BEFORE

[Signature]
J B BAZELL, LTJG, USNR

16-20 MOORED AS BEFORE

[Signature]
J B BAZELL, LTJG, USNR

20-24 MOORED AS BEFORE

[Signature]
J B BAZELL, LTJG, USNR

EXAMINED

[Signature]

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS _____

DATE _____ 19____
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED:

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -9I DATE FRIDAY 19 JUNE 19 70
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

04-04 MOORED PORT SIDE TO PIER #6, BERTH #7, U.S. NAVAL FLEET ACTIVITIES, YOKOSUKA, JAPAN WITH SIX (6) STANDARD DESTROYER MOORING LINES DOUBLED. SOPA IS COMDESRON 3 EMBARKED ON THE USS STEARETT (DLG-31). RECEIVING FRESH WATER AND TELEPHONE SERVICES FROM THE PIER. THE ENGINEERING PLANT IS STEAMING MODIFIED MAIN WITH 2A BOILER, AND 2A, 2B 3/5 TURBO GENERATORS ON THE LINE. CONDITION OF READINESS IV AND MATERIAL CONDITION YORE ARE SET THROUGHOUT THE SHIP. OTHER SHIPS PRESENT INCLUDE VARIOUS OTHER UNITS OF THE U.S. PACIFIC FLEET, HARBOR CRAFT, MERCHANTS, AND UNITS OF THE JAPANESE MARITIME SELF-DEFENSE FORCE.

J. B. Ezell
J. B. EZELL, LTJG, USNR

04-08 MOORED AS BEFORE.

J. B. Ezell
J. B. EZELL, LTJG, USNR

08-12: MOORED AS BEFORE

C. Pantzke
C. PANTZKE LTJG USNR

12-16: MOORED AS BEFORE

C. Pantzke
C. PANTZKE LTJG USNR

16-20: MOORED AS BEFORE

C. Pantzke
C. PANTZKE LTJG USNR

20-24: MOORED AS BEFORE

C. Pantzke
C. PANTZKE LTJG USNR

EXAMINED

R. Zimmer

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG 24)

DATE FRIDAY 19 JUNE 19 70
(Day) (Date) (Month)

REMARKS—CONTINUED

EXAMINED:

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9I DATE SATURDAY 20 JUNE 19 70
(Day) (Date) (Month)

AT/PASSAGE FROM YOKOSUKA, JAPAN TO

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04: MOORED PORT SIDE TO BERTH 7 YOKOSUKA NAVAL FLEET ACTIVITY, JAPAN.
SOFT 12 CONDENSER 3 EMBARKED IN USS STERRETT (DLG-31) ALL MOORING LINES
ARE DOUBLED, 2A BOILER AND 2A, 2B GENERATORS ARE ON THE LINE. RECEIVING FRESH
WATER FROM PIER. CONDITION OF READINESS IN AND MATERIAL CONDITION YORE ARE SET
THROUGHOUT THE SHIP. OTHER SHIPS PRESENT INCLUDE USNAVAL UNITS, HARBOR CRAFT,
MERCHANTS AND UNITS OF THE JAPANESE MARITIME SELF DEFENSE FORCE.

C. Pautzke

C. Pautzke LTJG USNR

04-08 MOORED AS BEFORE

C. Pautzke

C. Pautzke LTJG USNR

08-12 MOORED AS BEFORE.

W. H. Schriever
W. H. SCHRIEVER, LTJG, USN

12-16 MOORED AS BEFORE.

W. H. Schriever
W. H. SCHRIEVER, LTJG, USN

16-20 MOORED AS BEFORE.

W. H. Schriever,
W. H. SCHRIEVER, LTJG, USN

20-24 MOORED AS BEFORE.

W. H. Schriever
W. H. SCHRIEVER, LTJG, USN

EXAMINED

[Signature]

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS _____

DATE _____, 19____
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED:

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9I DATE SUNDAY 2021 JUNE 19 7
(Day) (Date) (Month)
AT/PASSAGE FROM YOKOSUKA, JAPAN TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 MOORED PORT SIDE TO BERTH 7, YOKOSUKA NAVAL FLEET ACTIVITY, JAPAN. SOPA IS CONDESRON 3 EMBARKED IN USS STERRETT (DLG-31). ALL MOORING LINES ARE DOUBLED. 2A BOILER AND 2A AND 2B GENERATORS ARE ON LINE. RECEIVING FRESH WATER AND PHONE LINES FROM PIER. CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE ARE SET THROUGHOUT THE SHIP. OTHER SHIPS PRESENT INCLUDE YARD CRAFT, MERCHANTS, UNITS OF JAPANESE SELF-DEFENSE FORCES, AND VARIOUS SHIPS OF THE US NAVY.

WTSchriever

W. H. SCHRIEVER, LTJG, USN

04-08 MOORED AS BEFORE.

WTSchriever

W. H. SCHRIEVER, LTJG, USN

08-12 MOORED AS BEFORE

R. M. Howell

R. M. HOWELL LTJG USNR

12-16 MOORED AS BEFORE

R. M. Howell

R. M. HOWELL, LTJG USNR

16-20 MOORED AS BEFORE

R. M. Howell

R. M. HOWELL LTJG USNR

20-24 MOORED AS BEFORE

R. M. Howell

R. M. HOWELL LTJG USNR

EXAMINED

R. M. Howell

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS _____

DATE _____ 19____
(Day) (Date) (Month)

REMARKS—CONTINUED

EXAMINED:

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -9I DATE MONDAY 22 JUNE 19 70
(Day) (Date) (Month)AT/PASSAGE FROM YOKOSUKA, JAPAN TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

04-04 MOORED PORT SIDE TO BERTH 7, YOKOSUKA NAVAL FLEET ACTIVITY, JAPAN. SOFA IS COMDESRON 3 EMBARKED IN USS STERRET (DLG-31) SIX STANDARD DESTROYER MOORING LINES ARE DOUBLED. 2A BOILER AND 2A AND 2B 3/4 GENERATORS ARE ON THE LINE. RECEIVING FRESH WATER AND PHONE SERVICES FROM THE PIER. CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE ARE SET

R. M. HOWELL LTJG USNR

04-08 MOORED AS BEFORE

R. M. HOWELL LTJG USNR

08-12 MOORED AS BEFORE. 0800 COMMENCED PREPARATIONS FOR GETTING UNDERWAY. SET MATERIAL CONDITION YOKE. 0803 STATIONED THE SPECIAL SEA DETAIL. COMPLETED ALL PREPARATIONS FOR GETTING UNDERWAY. DRAFT: FORWARD 14'4", AFT 15'3", MEAN 14'9". UNDERWAY FOR SASEBO, JAPAN, 0815. 0804 LT CROWELL ASSUMED THE CONN, NAVIGATOR ON THE BRIDGE. CAPTAIN ON THE BRIDGE. STEERING VARIOUS COURSES AT VARIOUS SPEEDS STANDING OUT OF YOKOSUKA RO. 0813 XO ASSUMED THE CONN. 0829 COMMENCED SOUNDING FOG SIGNALS. 1029 LT CROWELL ASSUMED THE DECK AND CONN. STEAMING IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE. ASSIGNED TO TH 710.4. 1042 ENS STEPHENS ASSUMED THE CONN.

R. L. CROWELL LT USNR

12-16 UNDERWAY AS BEFORE. MANEUVERING AT VARIOUS COURSES AND SPEEDS IN THE VICINITY OF THE USS WAHOO (SS-565) FOR EXERCISE TORPEDO FIRING BY WAHOO. 1438 SET MODIFIED CONDITION IAS AND MATERIAL CONDITION ZEBRA BELOW DECK. 1459 TORPEDO WAKE FROM FORWARD TO AFT ON THE PORT SIDE. 1515 SET MATERIAL CONDITION YOKE THROUGHOUT THE SHIP.

R. L. DALBEY LTJG USN

EXAMINED

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FSN 0105-904-1020

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDILL DDG 24

DATE MON 22 JUNE 1970
(Day) (Date) (Month)

REMARKS—CONTINUED

16-18 UNDERWAY AS BEFORE STEERING VARIOUS COURSES AND SPEEDS IN VICINITY OF USS MAHOPAC (ATA-196) AND USS WAHOO (SS-565) WHILE MAHOPAC IS RECOVERING TORPEDO. 1556 MOTOR WHALEBOAT DEPARTED SHIP FOR MAHOPAC AND WAHOO 1616 MOTOR WHALEBOAT RETURNED TO SHIP 1620 USS WAHOO SUBMERGED COMMENCED MANEUVERING AT VARIOUS COURSES AND SPEEDS WHILE CONDUCTING ASW EXERCISES WITH WAHOO

DF Zimmer
DF ZIMMER LTJG USNR

18-20 UNDERWAY AS BEFORE.

R.L. Daiber
R.L. DAIBERG, LCDR, USN

20-24 UNDERWAY AS BEFORE. 2218 SECURED ASW OPERATIONS. UNDERWAY FOR SASEBO, JAPAN. MANEUVERING AT VARIOUS COURSES AT VARIOUS SPEEDS TO AVOID NUMEROUS SMALL CONTACTS. BASE COURSE: 205°, BASE SPEED: 15 KTS. SHIP IS MAKING PREPARATIONS TO CONDUCT A 15 KNOT ECONOMY TRIAL.

W.H. Schriever
W.H. SCHRIEVER, LTJG, USN

EXAMINED:

DF Zimmer

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WARDELL DDG 24 ZONE DESCRIPTION -9 I DATE TUESDAY 23 JUNE 1970
 (Day) (Date) (Month)
 AT/PASSAGE FROM YOKOSUKA, JAPAN TO SASEBO, JAPAN

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
 2-ELECTRONIC
 3-VISUAL
 4-D. R.

REMARKS

~~00-04~~ UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE, STEAMING INDEPENDANTLY IN TRANSIT FROM YOKOSUKA JAPAN TO SASEBO JAPAN. SOPA AND OTC IS COMMANDING OFFICER THIS VESSEL. ENGINEERING PLANT IS SPLIT WITH 1A AND 2A BOILERS AND 1B AND 2B SHIP'S SERVICE GENERATORS ON THE LINE CONDUCTING A 15 KNOT ECONOMY RUN. MATERIAL CONDITION YOKE AND CONDITION OF READINESS ~~IN~~ ARE SET THROUGHOUT THE SHIP. THE SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATION LIGHTS. ON COURSE 205°, SPEED 15 KNOTS. MANEUVERING AT VARIOUS COURSES TO AVOID NUMEROUS SMALL SURFACE CONTACTS BASE COURSE 205°. 0105 C/BC 242°.

P.B. Hatch
 P.B. HATCH LTJG USNR

04-08 UNDERWAY AS BEFORE BIC 242°T, B/S IS 0540 SIGHTED POSSIBLE WRECKAGE OF A SMALL FISHING CRAFT. RETURNED TO BASE COURSE 0611 C/BS 23 KTS. 0712 C/C 225°T 0718 C/C 242°T

T.F. Warner
 T.F. WARNER, LTJG, USNR

08-12 UNDERWAY AS BEFORE. 0831 SHIP WENT TO PRACTICE GENERAL QUARTERS 0834 ALL STATIONS MANNED AND READY, MATERIAL CONDITION ZEBRA IS SET. MANEUVERING AT VARIOUS COURSES AND SPEEDS WHILE CONDUCTING G, Q EXERCISES. 0945 SET MATERIAL CONDITION YOKE SECURED FROM GENERAL QUARTERS. 1002 C/C 190° TESTING PORT UNIT-MAKING VARIOUS RUDDER CHANGES. 1008 C/C 242°

W.C. Green
 W.C. GREEN LTJG, USNR

12-16 UNDERWAY AS BEFORE 1509 C/C 232° 1514 C/C 242°

L.K. Athow
 L.K. ATHOW, LTJG, USN

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24DATE TUESDAY 23 JUNE, 19 70
(Day) (Date) (Month)

REMARKS—CONTINUED

16-18 UNDERWAY AS BEFORE.

J.B. Ezell

J.B. EZELL LTJG USNR

18-20 UNDERWAY AS BEFORE. 1840 C/C 295° TO AVOID A CONTACT. 1855 C/C 242°

J.D. Moran

J.D. MORAN LTJG USNR

20-24 UNDERWAY AS BEFORE. 2141 C/C 237°. 2254 C/S 232°. 2328 C/S 255°
2329 C/S 275°. 2332 ALL ENGINES STOP. ALL ENGINES BACK ONE-THIRD, LEFT FULL RUDDER.
2334 ALL ENGINES STOP. 2335 C/C 232°. 2336 C/S 15 KTS. 2337 C/S 20 KTS*R.S. Evans*

R.S. EVANS, LTJG, USN

EXAMINED:

R. Zimmer

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -9(I) DATE WEDNESDAY 24 JUNE 19 70
(Day) (Date) (Month)
AT/PASSAGE FROM YOKOSUKA, JAPAN TO SASEBO, JAPAN

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

~~00-04~~ UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE STEAMING INDEPENDENTLY FROM YOKOSUKA TO SASEBO SOPA AND OTC IS COMMANDING OFFICER OF THIS SHIP. MATERIAL CONDITION YOKE AND CONDITION OF READINESS TV ARE SET. THE SHIP IS DARKENED EXCEPT FOR BRIGHT NAVIGATION LIGHTS. BASE COURSE 235° BASE SPEED 20 KTS. ~~2350~~ ~~0010~~ % 280° TO AVOID CONTACT. ~~0016~~ % 255° ~~0022~~ % TO NEW BASE SPEED 19 KTS. ~~0041~~ % 280° ~~0204~~ % 300° ~~0210~~ % 280° ~~0236~~ % 310°

R. M. Howell
R. M. HOWELL LTJG USNR

04-08 UNDERWAY AS BEFORE ~~0416~~ c/c ~~0000~~

C. G. Taubke
C. G. TAUBKE LTJG USNR

08-12 UNDERWAY AS BEFORE. 0815 LIT FIRES UNDER 1B BOILER. ~~0900~~ c/c 356°. ~~0935~~ c/c 031°. 0945 c/c 025° c/s 5 KNOTS; MANEUVERING ON VARIOUS COURSES AT SLOW SPEEDS WHILE CONDUCTING ECM TESTS ON ULM 4 RANGE. 1105 SET THE SPECIAL SEA AND ANCHOR DETAIL. 1109 COMPLETED ECM TESTS; COMMENCED MANEUVERING AT VARIOUS COURSES AND SPEEDS TO CONFORM TO NAVIGATOR'S TRACK WHILE ENTERING SASEBO HARBOR. 1120 PASSED SHIRA SE ISLAND LIGHT ABEAM TO STARBOARD AT 100 YARDS. 1131 PASSED BOUY BRAVO ABEAM TO PORT AT 100 YARDS. 1144 PASSED BOUY NUMBER 1 ABEAM TO PORT AT 100 YARDS. 1154 PASSED BOUY EINO HANA ABEAM TO STARBOARD AT 100 YARDS. 1200 PASSED BENTON SUMA ABEAM TO STARBOARD AT 300 YARDS. 1225 MOORED STARBOARD SIDE TO AKASAKI PIER BERTH WITH SIX STANDARD DESTROYER MOORING LINES DOUBLED. RECEIVING VARIOUS SERVICES FROM THE PIER. SOPA AND OTC IS COMSERVGRU 3 EMBARKED USS AVAX (AR 6). 1230 SECURED THE SPECIAL SEA AND ANCHOR DETAIL.

R. L. Crowell
R. L. CROWELL, LT USNR

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24

DATE WED 24 JUNE 19 70
(Day) (Date) (Month)

REMARKS-CONTINUED

12-16 MOORED AS BEFORE.

[Signature]
R.S. EVANS, LTJG, USN

16-20 MOORED AS BEFORE.

[Signature]
R.S. EVANS, LTJG, USN

20-24 MOORED AS BEFORE.

[Signature]
R.S. EVANS, LTJG, USN

[Signature]
R.S. EVANS, LTJG, USN

[Signature]

[Signature] 20-24 MOORED AS BEFORE. PK

[Signature]
R.S. EVANS, LTJG, USN

[Signature]

[Signature] 16-20 MOORED AS BEFORE. PK

[Signature]
R.S. EVANS, LTJG, USN

[Signature]

[Signature] 12-16 MOORED AS BEFORE. PK

EXAMINED:

[Signature]

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG 24 ZONE DESCRIPTION 9I DATE THURSDAY 25 JUNE 1970
(Day) (Date) (Month)

AT/PASSAGE FROM SASEBO, JAPAN TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

~~00-04~~ MOORED STARBOARD SIDE TO, AKA SAKI PIER NUMBER ONE, SASEBO, JAPAN, WITH STANDARD MOORING LINES, 1B BOWER IS IN AN AUXILIARY STATUS WITH 1A AND 1B GENERATORS ON THE LINE. SOPA IS COMSERVING THREE EMBARKED USS AJAX (AR-6). SHIPS PRESENT INCLUDE AJAX AND USS MAHAN (DLG-51).

R. S. Evans
R. S. EVANS, LTJG, USN

~~04-08~~ MOORED AS BEFORE.

R. S. Evans
R. S. EVANS, LTJG, USN

~~08-12~~ MOORED AS BEFORE

T. F. Warner
T. F. WARNER, LTJG, USN

~~12-16~~ MOORED AS BEFORE

T. F. Warner
T. F. WARNER, LTJG, USN

~~16-20~~ MOORED AS BEFORE

T. F. Warner
T. F. WARNER, LTJG, USN

~~20-24~~ MOORED AS BEFORE

T. F. Warner
T. F. WARNER, LTJG, USN

EXAMINED

R. S. Evans U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS _____ DATE _____ 19____
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED:

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -9 I DATE FRIDAY 26 JUNE 19 70
(Day) (Date) (Month)
AT/PASSAGE FROM _____ TO _____

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL 2-ELECTRONIC 3-VISUAL 4-D. R.
--

REMARKS

00.09 MOORED STARBOARD SIDE TO, U.S. ARMY SUPPLY STORAGE
AKASAKI PIER NUMBER ONE, SASEBO, JAPAN WITH SIX STANDARD
DESTROYER MOORING LINES DOUBLED. 1B BOILER IS IN AN AUXILIARY
STATUS WITH 1A AND 1B GENERATORS ON THE LINE, RECEIVING VARIOUS
SERVICES FROM THE PIER. MATERIAL CONDITION YOKE AND CONDITION OF
READINESS ~~IS~~ ARE SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE
U.S. SEVENTH FLEET, MERCHANTMEN OF VARIOUS FLAGS AND HARBOR CRAFT.
SOPR IS COMBINATION THREE EMBARKED IN USS ARMY LAR.

TF WARNER, LTJG, USN

09.08 MOORED AS BEFORE. 0745 MUSTERED ON THE CREW ON STATION. HKM
ABSENTEES: NONE

TF WARNER, LTJG, USN

08-12 MOORED AS BEFORE. 0906 STATIONED THE SPECIAL SEA AND
ANCHOR DETAIL IN PREPARATION FOR GETTING UNDERWAY FROM SASEBO, JAPAN.
0938 UNDERWAY FOR PARPRO STATION, SEA OF JAPAN, MANEUVERING AT
VARIOUS COURSES AND SPEEDS TO CLEAR SASEBO HARBOR AND RUN THE
ULM-4 RANGE. 1032 SECURED THE SEA DETAIL.

W. H. Schriever
W. H. SCHRIEVER, LTJG, USN

12-16 UNDERWAY AS BEFORE. MANEUVERING AT VARIOUS COURSES
AND SPEEDS TO REMAIN WITHIN ULM-4 RANGE 1247 COMPLETED
TEST OF ULQ-6 @ 25 KTS TO RENDEZVOUS WITH USS MAHAN (DLG-11)
1250 @ 220° 1255 @ 270° 1313 @ 290° 1326 @ 358° 1327
@ 020° 1328 @ 358° 1443 @ 041° 1537 @ 043° 1548 @ 046°

R. M. Howell, LTJG USN

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG 24

DATE FRIDAY
26 26 JUNE, 19 70
(Day) (Date) (Month)

REMARKS—CONTINUED

16-18 UNDERWAY AS BEFORE 1608 $\frac{1}{2}$ 14 KTS ON STATION 1000 YDS ASTERN
USS MAHAN (DLG 11) 1626 MANEUVERING VARIOUS COURSES AT VARIOUS SPEEDS
PROCEEDING TO STATION 4000 YDS ASTERN MAHAN. 1636 ON STATION
 $\frac{1}{2}$ 15 KTS $\frac{3}{4}$ $\phi 42^{\circ}(T)$

P. B. Hatch
P. B. HATCH LTJG USNR

18-20 UNDERWAY AS BEFORE.

R. L. Crowell
R. L. CROWELL LT USNR

20-24 UNDERWAY AS BEFORE. 2007 $\frac{1}{2}$ $\phi 68^{\circ}$. 2010 $\frac{1}{2}$ $\phi 60^{\circ}$. 2013 $\frac{1}{2}$ $\phi 50^{\circ}$
2018 $\frac{1}{2}$ $\phi 40^{\circ}$. 2244 PARALLELED THE ELECTRICAL LOAD ON ALL
FOUR S.S. GENERATORS, COMMENCING PREPARATION FOR 15 KT ECONOMY
TRIAL. 2245 SECURED 2A S.S. GENERATOR. 2255 SECURED 1B S.S.
GENERATOR. 2300 $\frac{1}{2}$ $\phi 41^{\circ}$, $\frac{1}{2}$ 15 KTS.

R. S. Evans
R. S. EVANS, LTJG, USN

EXAMINED:

R. S. Evans

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DLG-24 ZONE DESCRIPTION -9I DATE SATURDAY 27 JUNE 19 70
(Day) (Date) (Month)
AT/PASSAGE FROM SASEBO, JAPAN TO PARPRO STATION, SEA OF JAPAN

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE. STEAMING FROM SASEBO, JAPAN TO PARPRO STATION IN THE SEA OF JAPAN IN COMPANY WITH THE U.S.S. MAHAN (DLG-11). SOPA AND OTC IS C.O. USS MAHAN. ENGINEERING PLANT IS SPLIT WITH 1B AND 2A BOILERS ON THE LINE. THE ELECTRICAL LOAD IS PARALLELED UTILIZING 1A AND 2B SHIP'S SERVICE GENERATORS. THE SHIP IS CONDUCTING A 15 KNOT ECONOMY RUN. MATERIAL CONDITION YOKE AND CONDITION OF READINESS IV ARE SET THROUGHOUT THE SHIP. THE SHIP IS DARKENED WITH EXCEPTION OF BRIGHT NAVIGATION LIGHTS. BASE COURSE 040°, BASE SPEED 16 KTS.

W. H. Schriever

W. H. SCHRIEVER, LTJG, USN

04-08 UNDERWAY AS BEFORE 0600 COMPLETED 15 KT ECONOMY RUN 0610 % 20 KTS PROCEEDING TO STATION TWO MILES ASTERN OF USS MAHAN (DLG-11) 0614 1A AND 2A % GENERATORS BROUGHT ON LINE AND ELECTRICAL LOAD IS SPLIT 0630 % 045° 0638 % 043° 0650 % 040° 0702 % 15 KTS ON STATION 4000 YDS ASTERN OF USS MAHAN (DLG-11)

R. M. Howell

R. M. HOWELL LTJG USNR

08-12 UNDERWAY AS BEFORE

P. B. Hatch

P. B. HATCH LTJG USNR

12-16 UNDERWAY AS BEFORE. 1205 % 045°. 1430 COMMENCED ENGINEERING CASUALTY CONTROL DRILLS.

R. L. Crowell

R. L. CROWELL LT USNR

EXAMINED

R. L. Crowell

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FSN 0105-904-1020

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24

DATE SATURDAY 27 JUNE, 1970
(Day) (Date) (Month)

REMARKS—CONTINUED

1618 UNDERWAY AS BEFORE. 1618 °C 100°. 1638 °C 045°. 1712 °C 20 KTS.
CASUALTY CONTROL DRILLS COMPLETED.

R. S. Evans
R. S. EVANS, LTJG, USN

1820 UNDERWAY AS BEFORE. 1837 °C 15 KTS. 1849 °C 16 KTS.

W. H. Schriever
W. H. SCHRIEVER, LTJG, USN

2024 UNDERWAY AS BEFORE ON STATION 4000 YDS ASTERN
OF USS MAHAN (DLG-11) ON BASE COURSE 045° BASE
SPEED 16 KTS. 2204 OTC DIRECTED SHIP TO REMAIN WITHIN
5 MILES WHILE CLEARING TO SOUTHWEST COMMENCED
MANOEUVERING AT VARIOUS COURSES AND SPEEDS TO OPEN
MAHAN TO FIVE MILES.

R. M. Howell
R. M. HOWELL, LTJG, USN

EXAMINED:

R. S. Evans

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG 24) ZONE DESCRIPTION -9I DATE SUNDAY 28 JUNE 19 70
(Day) (Date) (Month)

AT/PASSAGE FROM SASEBO, JAPAN TO PARRO STATION SEA OF JAPAN

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

04-04 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE IN COMPANY WITH USS MAHAN (DLG 11) ENROUTE FROM SASEBO JAPAN TO PARRO STATION SEA OF JAPAN. COMMANDING OFFICER MAHAN IS OTC AND SOPA. THIS SHIP MANEUVERING INDEPENDENTLY TO REMAIN FIVE MILES SOUTH WEST MAHAN. ENGINEERING STATUS IS 2A AND 1B BOILER 1A 1B 2A AND 2B GENERATORS SPLIT PLANT. CONDITION OF READINESS IV AND MATERIAL CONDITION YOKO ARE SET SHIP DARKENED EXCEPT FOR NORMAL NAVIGATIONAL LIGHTS. BASE COURSE 045°(T) BASE SPEED 10 KNOTS 0330 0400 340°(T) 0405 8 KTS.

P. B. Hatch
P. B. HATCH, LTJG, USNR

04-08 UNDERWAY AS BEFORE. 0740 USS STORETT (DLG-31) ASSUMED TACTICAL COMMAND OF THIS UNIT. USS MAHAN (DLG-11) DETACHED TO PROCEED ON DUTIES ASSIGNED. 0730 ASSIGNED PATROL STATION SECTOR QUEBEC 3-5 miles FROM GUIDE. SECTOR QUEBEC INCLUDES AREA FROM 000°T TO 240°T. MANEUVERING ON VARIOUS COURSES AND SPEEDS TO PATROL SECTOR.

R. L. Crowell
R. L. CROWELL LT USNR

08-12 UNDERWAY AS BEFORE. BASE SPEED 9 KTS, BASE COURSE 250°. 1015 NEW BASE COURSE 219, NEW BASE SPEED 16 KTS. 1023 BROUGHT 1A BOILER IN ON THE MAIN. 1040 SECURED FIRES IN 1B BOILER.

R. S. Evans
R. S. EVANS, LTJG, USN

12-16 UNDERWAY AS BEFORE

W. H. Schriever
W. H. SCHRIEVER, LTJG, USN

16-18 UNDERWAY AS BEFORE

R. M. Howell
R. M. HOWELL LTJG USNR

EXAMINED

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG 24)

DATE SUNDAY 28 JUNE 19 70
(Day) (Date) (Month)

REMARKS-CONTINUED

18-24 UNDERWAY AS BEFORE

P.B. Hatch
P. B. HATCH, LTJG, USNR

20-24 UNDERWAY AS BEFORE

Robert L. Crowell
Robert L. CROWELL LT, USNR

EXAMINED:

[Signature]

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG 24 ZONE DESCRIPTION -9J DATE MON 29 JUNE 1970
(Day) (Date) (Month)
* /PASSAGE FROM PAPRO STA SOJ TO SASEBO, JAPAN

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

~~00-04~~ UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE, STEAMING AS A MEMBER OF TU 71.0.4. WITH THE USS STERETT (DLG-31). THIS SHIP IS IN SECTOR STATION QUEBEC, BEARING ~~000~~⁰⁰⁰° TO ~~240~~²⁴⁰°, RANGE THREE TO FIVE MILES FROM FORMATION CENTER. STERETT IS GUIDE IN STATION ZERO AND BEARS ~~060~~⁰⁶⁰° TO ~~180~~¹⁸⁰° FROM THIS SHIP WHEN ON STATION. BASE COURSE ~~270~~²⁷⁰°, BASE SPEED ~~10~~¹⁰ KTS. SCOA AND OTC IS C.O. STERETT. 1A AND 2A BOILERS ARE ON THE LINE WITH THE ENGINEERING PLANT SPLIT. 1A, 1B, 2A AND 2B GENERATORS ARE ON THE LINE WITH THE ELECTRICAL LOAD SPLIT. CONDITION OF READINESS ~~III~~^{II} AND MATERIAL CONDITION YOKE ARE SET THROUGHOUT THE SHIP. THE SHIP IS DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATION LIGHTS. ~~0028~~⁰⁰²⁸ CHANGE BASE COURSE ~~000~~⁰⁰⁰°, BASE SPEED 15 KTS. ~~0046~~⁰⁰⁴⁶ CHANGE BASE COURSE ~~300~~³⁰⁰°. ~~0104~~⁰¹⁰⁴ CHANGE BASE COURSE ~~270~~²⁷⁰°, BASE SPEED ~~10~~¹⁰ KTS.

R. S. Evans

R. S. EVANS, LTJG, USN

~~04-08~~ UNDERWAY AS BEFORE. ~~0520~~⁰⁵²⁰ %BASE COURSE ~~190~~¹⁹⁰. ~~0707~~⁰⁷⁰⁷ %BASE SPEED 15 KTS.

W. H. Schriever

W. H. SCHRIEVER, LTJG, USN

~~08-12~~ UNDERWAY AS BEFORE ~~0720~~⁰⁷²⁰ %BASE SPEED 10 KTS. ~~0932~~⁰⁹³² % 15 KTS. STEERING VARIOUS COURSES TO REMAIN IN STATION IN SECTOR QUEBEC. ~~1100~~¹¹⁰⁰ % 190 % 10 KTS

R. M. Howell

R. M. HOWELL LTJG USNR

12-16 underway as before steering various courses to remain in station sector Quebec, bearing ~~000~~⁰⁰⁰° to ~~240~~²⁴⁰° at a range of three to five miles from the guide. 1341 commenced Engineering Casualty control drills. 1510 secured from Engineering Casualty Control Drills.

P. B. Hatch

P. B. HATCH LTJG USNR

~~16-20~~ UNDERWAY AS BEFORE

R. L. Crowell

R. L. CROWELL

EXAMINED

W. H. Zimmer

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66) (BACK)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24

DATE 2 MONDAY 29 JUNE 19 70
(Day) (Date) (Month)

REMARKS-CONTINUED

20-24 UNDERWAY AS BEFORE STEERING VARIOUS COURSES AND SPEEDS WHILE PATROLLING
ASSIGNED SECTOR. 2020 CHANGE BASE COURSE TO 270. 2202 CHANGE BASE COURSE TO 020.

W. H. Schriever

W. H. SCHRIEVER, LTJG, USN

EXAMINED:

[Signature]

U. S. N. NAVIGATOR

NAVPERS 3100/2 (1-66)
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG 24 ZONE DESCRIPTION -9I DATE TUES 30 JUNE 19 70
(Day) (Date) (Month)
#1/PASSAGE FROM PARPRO STA SOJ TO SASEBO, JAPAN

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

REMARKS

00-04 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE AS A UNIT OF TG 71.0.4 STEAMING IN THE SEA OF JAPAN IN COMPANY WITH USS STERRETT (DLG-31) WHO IS CTU 71.0.4. THE TASK UNIT IS ON BASE COURSE 020 AT BASE SPEED 10 KNOTS. SOPA AND OTC IS COMMANDING OFFICER USS STERRETT. MATERIAL CONDITION YOKE AND CONDITION OF READINESS IV ARE SET. THE SHIPS STATION IS IN SECTOR QUEBEC BEARING FROM 000°T TO 240°T FROM THE STERRETT WHO IS GUIDE AT RANGE 3 TO 5 MILES. STEERING VARIOUS COURSES AND SPEEDS TO REMAIN IN STATION

R. M. Howell
R. M. HOWELL LTJG USN

04-08 UNDERWAY AS BEFORE

P. B. Hatch
P. B. HATCH, LTJG, USN

08-12 UNDERWAY AS BEFORE. 0730 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE. 0930 SECURED ALL ELECTRONIC EQUIPMENT WHILE CONDUCTING CASUALTY CONTROL DRILLS. 1140 SECURED FROM CASUALTY CONTROL DRILLS. ALL ELECTRONIC EQUIPMENT NORMAL.

R. L. Crowell
R. L. CROWELL LT USN

12-16 UNDERWAY AS BEFORE. 1400 CHANGE BASE SPEED 15 KTS. 1425 NEW BASE COURSE 120°, NEW BASE SPEED 10 KTS. 1530 NEW BASE COURSE 125°.

R. S. Evans
R. S. EVANS, LTJG, USN

16-18 UNDERWAY AS BEFORE.

W. H. Schriever
W. H. SCHRIEVER, LTJG, USN

EXAMINED

R. J. Zimm

U. S. N. NAVIGATOR

NAVPER 3100/2 (1-66) (BACK)
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WARDELL (DDG 24)DATE TUESDAY 30 JUNE, 19 70
(Day) (Date) (Month)

REMARKS-CONTINUED

18-20 UNDERWAY AS BEFORE 1907 $\frac{1}{2}$ 20 KTS $\frac{1}{2}$ 107° PROCEEDING TO
STATION B1, 2000 YDS ASTERN OF USS STERETT 1920 ON STATION
 $\frac{1}{2}$ 10 KTS $\frac{1}{2}$ 190°

R. M. Howell
R. M. HOWELL LTJG USNR

20-24 UNDERWAY AS BEFORE 2113 $\frac{1}{2}$ 200°(T)

P. B. Hatch
P. B. HATCH LTJG USNR

EXAMINED:

R. J. Zimmer

U. S. N. NAVIGATOR